

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/605,789	10/27/2003	Thomas L. Toth	GEMS8081.193	2788
27061	7590 04/22/2005		EXAMINER	
ZIOLKOWSKI PATENT SOLUTIONS GROUP, SC (GEMS) 14135 NORTH CEDARBURG ROAD			KAO, CHIH CHENG G	
	, WI 53097		ART UNIT PAPER NUMBER	
			2882	-
			DATE MAILED: 04/22/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

			MIC
	Application No.	Applicant(s)	
	10/605,789	TOTH ET AL.	
Office Action Summary	Examiner	Art Unit	
•	Chih-Cheng Glen Kao	2882	
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet wit	th the correspondence address	•
A SHORTENED STATUTORY PERIOD FOR REF THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a re-  - If NO period for reply is specified above, the maximum statutory period  - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a re eply within the statutory minimum of thirty od will apply and will expire SIX (6) MONT tute, cause the application to become ABA	ply be timely filed  (30) days will be considered timely.  THS from the mailing date of this communication  ANDONED (35 U.S.C. § 133).	ation.
Status			
1) Responsive to communication(s) filed on 13	April 2005		
	his action is non-final.		
3) Since this application is in condition for allow closed in accordance with the practice unde	vance except for formal matte		s is
Disposition of Claims			
<ul> <li>4)  Claim(s) 1,2,5-14 and 16-23 is/are pending is/are withdersome claim(s) is/are withdersome claim(s) is/are allowed.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1,2,5-14 and 16-23 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and</li> </ul>	rawn from consideration.		
Application Papers			
9) The specification is objected to by the Examination 10) The drawing(s) filed on 27 October 2003 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction.  The oath or declaration is objected to by the	re: a) accepted or b) observed or b)	ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.12	` '
Priority under 35 U.S.C. § 119	•		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority application from the International Bure * See the attached detailed Office action for a list	ents have been received.  ents have been received in Appropriate documents have been received in Appropriate (PCT Rule 17.2(a)).	oplication No received in this National Stage	
Attachment(s)    Notice of References Cited (PTO-892)   Notice of Draftsperson's Patent Drawing Review (PTO-948)   Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date	Paper No(s)	ummary (PTO-413) /Mail Date formal Patent Application (PTO-152)	

### **DETAILED ACTION**

### Claim Objections

Claims 2 and 19-21 are objected to because of the following informalities, which appear 1. to be minor draft errors including lack of antecedent basis problems.

In the following format (location of objection; suggestion for correction), the following corrections may obviate their respective objections: (claim 2, line 1, "(Currently Amended)"; replacing "Currently Amended" with - -Original- -), (claim 19, line 3, "the moveable second filters"; replacing "filters" with - -filter- -), (claim 20, lines 2-3, "the moveable first and second motor assemblies"; deleting "moveable"), and (claim 21, line 3, "moveable first and the second filters"; deleting "the").

For purposes of examination, the claims have been treated as such. Appropriate correction is required.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 2, and 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Romeas (US Patent 6148062) in view of Moore (US Patent 4181858).

3. Regarding claim 1, Romeas discloses an x-ray beam shaping filter assembly (fig. 5) comprising a first moveable filter having a non-uniform thickness (fig. 5, #17a), the first moveable filter having a body (fig. 5, middle section of #17a) and a tail (fig. 5, right section of #17a) extending from the body, the tail positioned at a distal end of the first moveable filter relative to an x-ray source (fig. 5, source of #3), a second moveable filter independent of the first moveable filter and having a non-uniform thickness (fig. 5, #18b), the second moveable filter having a body (fig. 5, middle section of #18b) and a tail (fig. 5, left section of #18b) extending from the body, the tail positioned at a distal end of the second moveable filter relative to an x-ray source (fig. 5, source of #3); and wherein at least one of the first moveable filter and the second moveable filter is configured to be placed in a high frequency electromagnetic energy beam (fig. 5, #3) for attenuation of the beam for radiographic data acquisition (title), and configured to independently position a movable filter (fig. 5, #18b) such that a beam profile is created that substantially conforms to a shape of a subject to be scanned (fig. 5, #1).

However, Romeas does not disclose at least one motor assembly.

Moore teaches at least one motor assembly (fig. 2a, #30).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Romeas with the motor of Moore, since one would be motivated to make such a modification to reduce manual labor for a user.

4. Regarding claim 2, Romeas further discloses the second moveable filter (fig. 5, #18b) having a shape that mirrors that of the first moveable filter (fig. 5, #17a).

5. Regarding claims 7 and 8, Romeas as modified above suggests an apparatus as recited above.

However, Romeas does not disclose wherein the first and second moveable filters are each defined by a base, a tail, and a curved portion connecting the base to the tail, and wherein the base has a thickness greater than that of the tail.

Moore further teaches wherein the first and second moveable filters are each defined by a base (fig. 3a, right section of #26 on right), a tail (fig. 3a, left section of #26 on right), and a curved portion (fig. 3a, middle section of #26 on right) connecting the base to the tail, and wherein the base (fig. 3a, right section of #26 on right) has a thickness greater than that of the tail (fig. 3a, left section of #26 on right).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Romeas as modified above with the filters of Moore, since one would be motivated to make such a modification to better compensate for variations in path length of examining radiation through the body of a patient (col. 1, lines 5-9) as shown by Moore.

6. Regarding claims 9 and 10, Romeas as modified above suggests an apparatus as recited above.

However, Romeas does not disclose wherein the base has a thickness of 30 mm and the tail has a thickness of 0.25 mm, or wherein the base of the first moveable filter has a length along an x-direction of 112 mm; wherein the curved portion of the first moveable filter has a length

Art Unit: 2882

along the x-direction of 24.9 mm; wherein the tail of the first moveable filter has a length along the x-direction of 135 mm; wherein the base of the second moveable filter has a length along the x-direction of 53 mm; wherein the tail of the second moveable filter has a length along the x-direction of 168 mm; and wherein the curved portion of the second moveable filter has a length along the x-direction of 34.2 mm.

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Romeas as modified above with the above measurements, since such a modification would have only involved a mere change in the size of a component. A change in size is generally recognized as being with the level of ordinary skill in the art. One would be motivated to make such a modification to reduce unnecessary radiation to a patient (col. 5, line 66, to col. 6, line 3) as implied from Moore.

7. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Romeas in view of Moore as applied to claim 1 above, and further in view of Popescu (US Patent 6501828).

Romeas as modified above suggests an apparatus as recited above.

However, Romeas does not disclose dynamically positioning a moveable filter during data acquisition.

Popescu teaches dynamically positioning a moveable filter (fig. 2) during data acquisition (abstract).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Romeas as modified above with the dynamic

Art Unit: 2882

moveable filter of Popescu, since one would be motivated to make such a modification to simplify the generation of high grade x-ray images (col. 2, lines 1-7) as shown by Popescu.

8. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Romeas in view of Moore, and Popescu as applied to claim 5 above, and further in view of Hsieh (US Patent 5970112).

Romeas as modified above suggests an apparatus as recited above.

However, Romeas does not disclose positioning based on a scout scan carried out before CT data acquisition.

Hsieh teaches positioning based on a scout scan carried out before CT data acquisition (abstract).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Romeas as modified above with the positioning of Hsieh, since one would be motivated to make such a modification to make CT systems more efficient (col. 2, lines 15-16) as implied from Hsieh.

- 9. Claims 11, 14, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moore in view of Popescu and Hoffman et al. (US Patent 6137857).
- 10. Regarding claims 11 and 14, Moore discloses an apparatus as recited above. Moore further discloses the apparatus in a CT system (abstract, line 1) including a rotatable gantry having an opening (fig. 1a, #1) to receive a subject (fig. 1a, #3) to be scanned, a high frequency

Art Unit: 2882

electromagnetic energy projection source (fig. 1a, #14), a scintillation system to detect high frequency electromagnetic energy passing through the subject (col. 4, line 68), photodiodes optically coupled to the scintillation system to detect light from the scintillation system (col. 5, line 1), a data acquisition system (DAS) connected to the photodiodes and configured to receive photodiode outputs (fig. 1a, #19).

However, Moore does not specifically disclose non-uniform filters mirroring each other defined by a base, tail, and curved portion connecting the base to the tail, and wherein filters are arranged such that the curved portion of one filter faces the curved portion of the other filter, a scintillator array, a photodiode array, and an image reconstructor coupled to a DAS and configured to reconstruct an image of a subject from photodiode outputs received by the DAS.

Popescu teaches non-uniform filters mirroring each other (fig. 3) defined by a base, tail, and curved portion connecting the base to the tail, and wherein filters are arranged such that the curved portion of one filter (fig. 3, #22) faces the curved portion of the other filter (fig. 3, #23). Hoffman et al. teaches a scintillator array (col. 2, line 3), a photodiode array (col. 2, lines 2-3), and an image reconstructor (fig. 2, #34) coupled to a DAS (fig. 2, #34) and configured to reconstruct an image of a subject (fig. 2, #22) from photodiode outputs (fig. 2, #20) received by the DAS.

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the system of Moore with the filters of Popescu, since one would be motivated to make such a modification to simplify generation of a high-grade x-ray image of a region of interest (col. 2, lines 1-4) as implied from Popescu.

Art Unit: 2882

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the system of Moore with the arrays and image reconstructor of Hoffman et al., since one would be motivated to make such a modification to increase the amount of information obtained (col. 1, lines 35-36) and to provide a better image (fig. 2, #42) of the internals of a patient (fig. 2, #22) as implied from Hoffman et al.

- 11. Regarding claim 16, Moore further discloses wherein the base blocks more x-rays than that of the tail (fig. 2a, #26 and 26').
- 12. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moore, in view of Popescu and Hoffman et al. as applied to claim 11 above, and further in view of Hsieh.

Moore as modified above suggests a system as recited above. Moore further discloses a filter (fig. 5, #26) operationally connected to at least one motor (fig. 5, #30) that is operationally connected to a controller (fig. 5, #36) such that control signals transmitted to the controller cause at least the one motor to position the at least one filter in the projection path to modulate the beam to have a desired profile (fig. 2a).

However, Moore does not disclose a computer programmed to cause application of a scout scan of a subject and from the scout scan determine at least an approximate shape of the subject, and wherein a filter is operationally connected to the computer to modulate the beam to have a desired profile.

Art Unit: 2882

Hsieh teaches a computer (fig. 2, #36) programmed to cause application of a scout scan of a subject and from the scout scan determine at least an approximate shape of the subject, and wherein a filter is operationally connected to the computer to modulate the beam to have a desired profile (abstract).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the system of Moore as modified above with the scout scan and computer of Hsieh, since one would be motivated to make such a modification to make CT systems more efficient (col. 2, lines 15-16) as implied from Hsieh.

- 13. Claims 17 and 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schmidt (US Patent 5019713) in view of Moore.
- Regarding claims 17, 19, and 20, Schmidt discloses an apparatus comprising moveable first and second filters (col. 2, lines 32-33), a stationary third filter having a length (fig. 1, #15, and abstract, line 3) perpendicular to a central axis of x-ray projection from an x-ray source (col. 2, line 25) toward a subject (title), the length being longer than at least one of the moveable first and second filters (fig. 1, #12a and 12b) perpendicular to the central axis of x-ray projection (fig. 1, #4), and a motor assembly connected to first and second moveable filters (col. 2, lines 33-34).

However, Schmidt does not disclose two motor assemblies configured to independently position overlapping filters, defined by bases, curved portions, and proximate tails, in an x-ray path to define an attenuation profile that substantially approximates a target shape.

Moore teaches two motor assemblies (figs. 1a and 2a, #30) configured to independently position overlapping filters, defined by bases, curved portions, and proximate tails, in an x-ray path to define an attenuation profile that substantially approximates a target shape (fig. 2a).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Schmidt with the motors of Moore, since one would be motivated to make such a modification to provide more flexibility in shaping a profile (fig. 2a) as implied from Moore.

- Regarding claim 21, Schmidt further discloses the stationary third filter providing non-zero minimum attenuation (col. 2, lines 45-50) when the moveable first and second filters are not overlapping (fig. 1, #12a, 12b, and 15).
- 16. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Schmidt in view of Moore as applied to claim 17 above, and further in view of Gunji et al. (JP 08-266523).

Schmidt as modified above suggests an apparatus as recited above.

However, Schmidt does not disclose filters with different contours.

Gunji et al. teaches filters with different contours (fig. 4, #23-1 and 23-2).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Schmidt as modified above with the filters of Gunji et al., since one would be motivated to make such a modification to make filters more suitable for an examinee (abstract, purpose) as implied from Gunji et al.

17. Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schmidt in view of Moore as applied to claim 17 above, and further in view of Winter (US Patent 4998268).

Schmidt as modified above suggests an apparatus as recited above.

However, Schmidt does not disclose a CT system including a computer programmed to determine a target shape from a scout scan of a subject to be imaged.

Winter teaches a CT system (title) including a computer programmed to determine a target shape from a scout scan of a subject to be imaged (col. 8, line 57, to col. 9, line 11).

It would have been obvious, to one having ordinary skill in the art at the time the invention was made, to incorporate the apparatus of Schmidt as modified above with the CT system of Winter, since one would be motivated to make such a modification to lessen risks to patients (col. 1, lines 61-64) as shown by Winter.

### Response to Arguments

18. Applicant's arguments with respect to claims 1, 2, 5-14, and 16-23 have been considered but are moot in view of the new ground(s) of rejection.

### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

Art Unit: 2882

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this

final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Chih-Cheng Glen Kao whose telephone number is (571) 272-

2492. The examiner can normally be reached on M - F (9 am to 5 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ed Glick can be reached on (571) 272-2490. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

gk

SUPERVISORY PATENT EXAMINER

Page 12